

# TATMEEN ONBOARDING EVENT

Licensed Agents MAHs 3PLs

June 7<sup>th</sup>, 8<sup>th</sup>, 9<sup>th</sup> 2022













# SESSION MATERIAL

01 Technical Guides 02 Training Material

03 Test Materials







Link

<u>Link</u>

<u>Link</u>













# OUR TEAM



#### Ali Juma Alajme

Director Digital Health Department **MoHAP** 



#### Hesham Al Hemeiri

Project Manager

MoHAP



#### Salwa Jalal Al Blushi

Head of Digital Standards and Operation Section **MoHAP** 







#### Mubashir Siddiqi

Systems Architect

MoHAP



#### Maryam Alhosani

**Project Coordinator** 

MoHAP



## OUR TEAM



#### Jihad Tayara CEO EVOTEQ



**Sultan Salim** AI Owais Managing Director of Special Projects EVOTEQ



#### Baha AbuSalem

Program Director EVOTEQ



Functional Lead



#### Nadim Shaikli

VP of Technology EVOTEQ



#### Mazen Ramadan

Senior Project Manager EVOTEQ



#### **Moied Yousuf**

Technical Project Manager EVOTEQ



Khusro Habib **Program Solution Architect** 

EVOTEQ





**Mustafa Habib** 

**EVOTEQ** 



Walaa Majzoub QA/QC Test Manager EVOTEQ



Hala Alayli Marketing Manager EVÕTEQ



Taimur Khan

SAP Basis Azure EVOTEQ




#### Nibal Alrabadi

Onboarding and Support Manager EVOTEQ



# **KEY UPDATES**

### **Phase 1 Completed**







Product Master Data and Partner is now integrated between BrandSync, MoHAP, and Tatmeen.

Sessions being scheduled with DoH and DHA for onboarding & connectivity.

Agreed that the local manufacturers will follow a similar process as international manufacturers when interacting with Tatmeen.

Multiple meetings held with 3PL's (Hellman, Aramex, DHL) to confirm participation in the supply chain.











# OVERALL PROGRAM TIMELINE

	Q4 2021			Q1 2022			Q2 2022		
	Oct	Nov	Dec	Jan Fe	b	Mar	Apr	Мау	Jun
ר Build	Core Development (Drop 1)			SIT UTT		UTT	Planned Technical Go-Live		
System Build							Exter	nded Develo	pment (Dro
vtics				Core Analytics		UTT			
Analytics						Extended Analytics			
Training & Onboarding									End Use
									Full Onb









## ONBOARDING PHASES

#### Full Onboarding will be split into 2 phases:

#### **Phase 1:** Supply Chain Entities

The first phase of the onboarding is geared towards securing the supply chain in the country. This will include Licensed Agents (w MAH's, Scientific Offices, & 3PL's), MoHAP Entities, Customs and Empowerment.

Deadline to onboard is December 13, 2022.


The second phase of onboarding is geared towards visibility within the supply chain. This will include Hospitals, Pharmacies, Clinics and any other entities that dispense mediations that may be in scope.





#### Phase 2: Dispensation Entities

# KEY CONCEPTS





# TATMEEN DEFINED



Tatmeen in Arabic meansassurance.

Tatmeen is a nation-wide program that will enable traceability of pharmaceuticals using serialization with GS1 standards based on EVOTEQ SmartTrack technology.










# **COMPREHENSIVE PARTICIPATION**







#### **Customs Release** (Federal Customs)

#### Market Release (MoHAP Empowerment)

#### Ownership: MAH **Execution:** Federal Customs **Location:** FTZ/HUB (Only for imports) Activities: Activities: Inspect goods,

verification, sampling, shipment release

wnership:	MAH
xecution:	MoHAP Empowerment
ocation:	FTZ/HUB/DIST (imports) Local Manufacturer (local manufacturing)
ctivities:	Inspect goods, sampling, verification, market releas

#### Ship Goods at FTZ/HUB (3PL) / Distributor

Ownership:	МАН				
Execution:	3PL / Distributor				
Location:	FTZ/HUB (Only for imports)				
Destination:	Authorized Wholesaler				
Activities:	Unpack, pack, sampling, verification, shipment				

#### **Receive Goods at Point of Dispense**

Ownership:	Point of Dispense		
Location:	Inside UAE		
Activities:	Receive Goods		

#### **Sell Goods at Point** of Dispense

Ownership:	Point of Dispense		
Location:	Inside UAE		
Activities:	Unpack, pack, sampling verification, shipment, dispense		



# COMPREHENSIVE USER EXPERIENCE

Custom Inspection

Validate and confirm release of approved Drugs & Devices

You should return the Medicine back to the Pharmacy

Patients

Product validation and reporting of counterfeits



NOT APPROVED

CALL HELPLINE





# 

#### MoHAP / DHA / DoH Inspectors

Scan a barcode of drugs or devices with their mobile device to get relevant details



MoHAP / DHA / DoH / Private Hospitals / Pharmacies

Product validation and sale of goods at Point of Dispense

# UNIQUE IDENTIFICATION OF PRODUCTS & LOCATIONS

#### **COMPANY & LOCATION**

Unique identification of physical location

- Global Company Prefix (GCP)
- Global Location Number (GLN)

#### PRODUCT

Unique identification of trade item

- Global Trade Item Number (GTIN)
- Serialized Global Trade Item Number (SGTIN)

#### **LOGISTICS AND SHIPPING** Unique identification of logistic unit

• Serial Shipping Container Code (SSCC)











(01) GTIN (21) Serial Number (17) Expiry Date (10) Lot/Batch





# SERIALIZATION AND AGGREGATION





#### Secondary Packaging / Saleable unit

Marked with Unique Serialized Number SGTIN as 2D Data Matrix applied during manufacturing process

- Serialization consists of printing serial numbers & barcodes on different levels
- The Aggregation process builds a physical and electronic hierarchy between serial numbers of all levels

Master Case (Secondary packaging packed into a case)

Marked with Unique Serialized Number SGTIN as 2D Data Matrix or SSCC as barcode applied during manufacturing and/or warehouse process. Repacked cases by warehouses will apply SSCC codes. Bundles are also supported.



K

#### Pallet (Logistic unit)

Unique Serialized Number Applied during warehouse process as SSCC codes







(01) GTN (21) Serial Number 17) Expiry Date 10) Lot/Batch



(01) GTN (21) Serial Number (17) Expiry Date (10) Lot/Batch







# PRODUCT & PARTNER MASTER DATA

Master data refers to the characteristics and attributes of an object such as a product or partner. Master data includes attributes such as GTIN, product description, unit of measure, partner address, etc.

Supply chain entities such as Manufacturer, MAH, Agent, Hospital, Warehouse, Pharmacy are responsible for registering their own products and partner master data in relevant MoHAP systems. MoHAP stakeholder's partner master data will be manually uploaded. MoHAP systems send all required product and partner master data to BrandSync GS1

where additional master data attributes are entered. BrandSync GS1 then makes this data available to TATMEEN.








**TATMEEN** allows received master data to be viewed but does not allow any changes to master data. All updates must be done in MoHAP system (or in BradSync for additional data).


Master Data flow

# ONBOARDING JOURNEY





**Supply Chain Participants & Dispensation** 





#### **GLN REGISTRATION**

• Register with GS1 to acquire a Global Location Number (GLN)



#### UPDATE MASTER DATA

- Supply Chain partners require access to BrandSync
- Partner Master must be reviewed and updated in BrandSync and sent to Tatmeen. This
  includes the GLN and SPOC Identification, etc.
- Product Master must be reviewed and updated on BrandSync by brand owners and sent to Tatmeen. This includes GTIN addition, MAH GLN, and Licensed Agent GLN, etc.





Initiation

**Supply Chain Participants & Dispensation** 



#### **GLN REGISTRATION**

- SPOC receives registration email from Tatmeen and complete registration
- SPOC then creates additional Service/Technical and Dialogue Users (operational users) via Tatmeen
- For more information on user access please see the user management training (https://tatmeen.ae/utt)



#### **DOWNLOAD TECHNICAL ONBOARDING GUIDES**

- For MAH's: Tatmeen Technical Guide for MAH
- For Licensed Agents: Tatmeen Technical Guides for MAH and Logistics
- For Dispensation: Tatmeen Technical Guide for Dispensation
- Additionally, reference the technical onboarding guide.





# Onboarding Launch (Pre-Production) (Production)



Initiation

#### **Supply Chain Participants & Dispensation**



#### **INTEGRATE WITH TATMEEN API'S**

• Technical users will follow the technical guide to connect to Tatmeen through API's and establish the B2B connection




#### DATA FOR TEST SCENARIOS TO BE CREATED

- Ensure the required test data (serial numbers) is available at the GLN
- In case the test data is missing, reach out to preceding supply chain partners to commission the data and send to your location.











**Supply Chain Participants & Dispensation** 



#### RUN TEST SCENARIOS AND ENSURE SUCCESSFUL RESPONSE

- Commissioning, Aggregation, and Shipping
- Hierarchy Change Pack & Unpack
- Product Transfer Shipping, Receiving, Shipping Returns, and Receiving Returns
- Product Status Updates: Sampling, Lost, Stolen, Damaged, Dispensed, Exported



SUBMIT SUCCESSFUL TEST SCENARIOS TO <u>ONBOARDING@TATMEEN.AE</u> (Subject: Onboarding Completion -Stagging)







Initiation

**Supply Chain Participants & Dispensation** 



#### **RECEIVE UPDATED URLS FOR CONNECTING TO PRODUCTION ENVIRONMENT**



#### USER REGISTRATION IN TATMEEN PRODUCTION ENVIRONMENT

- SPOC to complete Tatmeen registration
- SPOC to add business and service/technical users from their organization




SWITCHOVER API'S TO PRODUCTION ENVIRONMENT



E-MAIL COMPLETED ONBOARDING CHECKLIST TO <u>ONBOARDING@TATMEEN.AE</u> (Subject: Onboarding Completion - Production)









# ONBOARDING JOURNEY – MOBILE AND PORTAL

Initiation

**Supply Chain Participants & Dispensation** 

Smaller participants who do not have advanced warehouse or pharmacy management systems that can integrate to Tatmeen may opt to use Tatmeen's mobile and portal functionalities to share necessary transaction information.



#### **GLN REGISTRATION**

Register with GS1 to acquire a Global Location Number (GLN)  $\bullet$ 




#### **UPDATE MASTER DATA**

- Supply Chain partners require access to BrandSync
- Partner Master must be reviewed and updated in BrandSync and sent to Tatmeen. This includes the GLN and SPOC Identification, etc.
- Product Master must be reviewed and updated on BrandSync by brand owners and  $\bullet$ sent to Tatmeen. This includes GTIN addition, MAH GLN, and Licensed Agent GLN, etc.









# ONBOARDING JOURNEY – MOBILE AND PORTAL

**Supply Chain Participants & Dispensation** 

Initiation



DOWNLOAD TRAINING GUIDES



#### TATMEEN USER ACCESS

- SPOC receives registration email from Tatmeen and completes registration
- SPOC then creates additional Dialogue Users (operational users) via Tatmeen
- For more information on user access please see the user management training (https://tatmeen.ae/utt)




E-MAIL COMPLETED ONBOARDING CHECKLIST TO ONBOARDING@TATMEEN.AE (Subject: Onboarding Completion -Production)








# BUSINESS PROCESSES IN SCOPE



# USER REGISTRATION





# **USER REGISTRATION - GENERAL**

Tatmeen solution consists of Dialogue Users and Service (Technical) Users

Users must first be registered with Tatmeen to use **Tatmeen Mobile and Portal.** 

Users will receive a registration invitation. The form of invitation may vary according to the user's role.

#### **DIALOGUE USERS**

- Business Partner Single-Point-of-Contact (SPOC)
- Business Partner operational users
- MoHAP and UAE Government Agency users that view Tatmeen information
- Tatmeen Administrators

PARTNERS






#### **SERVICE / TECHNICAL USERS FOR BUSINESS**






# USER REGISTRATION – SPOC DATA FLOW







# COMMISSIONING & AGGREGATION





# COMMISSIONING & AGGREGATION -GENERAL

#### Commissioning

is the process of sharing the products serial numbers with Tatmeen. When the MAHs shares the commissioning message with Tatmeen, this in turn communicates to Tatmeen that the product is coming from a known source, and it is authentic. The serialized product are registered in Tatmeen for UAE market.

#### Aggregation

refers to capturing and maintaining parent-child relationships between different packaging levels of product. The Aggregation process involves serializing products at the saleable unit level, then associating those units to the next level of the packaging hierarchy (e.g. cases).





 MAHs and Licensed Agents are responsible for providing product commission data for saleable items (SGTINs)


Tatmeen will only allow the MAH and Licensed Agents that are defined in the product master to commission saleable items

Commissioning needs to have SHP (Shipment Import Permit)

 All supply chain stakeholders can commission logistic items (SSCCs)

Commissioning and Aggregation file upload functionality will be provided on Portal

# PRODUCT TRANSFER





# PRODUCT TRANSFER - GENERAL



#### Product transfer refers to the movement of product from the current location to a new location. All Supply Chain entities can perform product transfer.

#### **PRODUCT TRANSFER INVOLVES THE FOLLOWING:**

- Shipping At the initial location the shipping document must be created to send products out of the location
- Receiving To accept the shipped products into target location, the receiving document must be created at the target location
- Return Shipping If the shipment is rejected by the receiver at the target location, the shipment is returned to its initial location together with the return shipping document
- Return Receiving If the shipment is returned to the owner's initial location and the owner rejects the shipment, the shipment is returned to the target location together with the return receiving document.







## SHIPPING

#### The main data requirements for the shipping are:

- GLN of senders/start location is automatically assigned from the user running the transaction
- GLN of destination/target location
- Reference document number, e.g. Outbound delivery number
- Unique Serialized Number (SGTIN or SSCC) of shipped goods.


## RECEIVING

The main information requirements for the receiving are:


- GLN of the receiving location is automatically assigned from the user running the transaction
- Reference document number, e.g. Inbound reference number
- Unique Serialized Number (SGTIN or SSCC) of shipped goods







Product Hierarchy Change





# HIERARCHY CHANGE GENERAL

#### PACK

Packing is a product hierarchy update where we add one or more unpacked child items into an existing or new parent.

The packaging process comprises of 3 steps:

- Step 1 Adding child items
- Step 2 Adding of a parent item
- Step 3 Packing confirmation

#### UNPACK

Unpacking is an update to the product hierarchy where we disaggregate/subtract one or more child units from the parent.

#### The unpacking process comprises of 3 steps:

- Step 1 Select a parent item
- Step 2 Select child items
- Step 3 Unpacking confirmation


#### **UNPACK ALL**

Unpack All is the update to the product hierarchy where we disaggregate/subtract all child units from the parent unit.

After this update the parent unit will no longer have any child items. The child items remain unchanged, except they no longer have a parent unit.








Hierarchy Change indicates a change in packaging as the goods move through the distribution process.

PRODUCT STATUS UPDATES





# PRODUCT STATUS UPDATE -GENERAL

Each serialized item (SGTIN/SSCC) for UAE market, will have initial status of commissioned.

The item will then be available for further distribution.

During the process a variety of events may affect an item which may cause the item's status to change.

## Items may have any of the following statuses: Blocked • Unblocked • Sample • Lost • Stolen

- Damaged







# PRODUCT STATUS UPDATE -GENERAL


### **Product Status Transitions Matrix**

Origin product status	Created	Commisionned	Decommissioned -	Decommissioned	Decommissioned -	Decommissioned	Decommissioned -	ecommissioned - Blocked for Blocked for recall	Blocked for					
	Createu	commisionned	sample	- destroyed	demaged	- expired	dispensed	stolen	exported	lost	recall	inspection		destruction
Created		Acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable
Commisionned	Not acceptable		Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable
Decommissioned - sample	Not acceptable	Not acceptable		Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable
Decommissioned - destroyed	Not acceptable	Not acceptable	Not acceptable		Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable
Decommissioned - demaged	Not acceptable	Not acceptable	Not acceptable	Not acceptable		Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable
Decommissioned - expired	Not acceptable	Not acceptable	Not acceptable	Acceptable	Acceptable		Not acceptable	Not acceptable	Not acceptable					
Decommissioned - dispensed	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable		Not acceptable	Not acceptable	Not acceptable				
Decommissioned - stolen	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable		Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable
Decommisioned - exported	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable		Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable
Decommissioned - lost	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable		Not acceptable	Not acceptable	Not acceptable	Not acceptable
Decommissioned - recall	Not acceptable	Not acceptable	Not acceptable	Acceptable	Acceptable	Acceptable	Not acceptable	Not acceptable	Not acceptable	Not acceptable		Not acceptable	Not acceptable	Not acceptable
Blocked for inspection	Not acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Not acceptable	Acceptable	Acceptable	Acceptable	Acceptable		Not acceptable	Not acceptable
Blocked for recall	Not acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Not acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Not acceptable		Not acceptable
Blocked for destruction	Not acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Not acceptable	Acceptable	Acceptable	Acceptable	Acceptable	Not acceptable	Not acceptable	





# PRODUCT VERIFICATION





### PRODUCT VERIFICATION - GENERAL

The detailed information of any serialized/aggregated item can be checked any time.

Based on a user's security level they will be able to see:

- Product Verification The user will be able to see basic information about serialized/aggregated item and aggregation hierarchy, if any exists
- Product verification with a journey The user will be able to see basic information about serialized/aggregated item and the aggregation hierarchy if any exists. The User will also have access to the log of all status changes and shifts between GLN locations.

To see product verification data on the Portal or Mobile select Product Verification in navigation menu.



Home NonSCP A








Product Status Update		
Block for inspection	>	108.1 ······
Unblock	>	(1) 1
Damaged	>	
Sample	>	Mobil navig
Product Verification		navig
Verification	>	
Master Data		
Product Display	>	-
Partner Display	>	

#### Mobile Product Verification navigation menu

#### ARAB EMIRATES Y OF HEALTH & PREVENTION

Admin SCP Adn	nin Product Transfer 🔻	Hierarchy Change 🔻	Product Status Update 🕶	Product Verification	Pr

# B2B Integration





### **B2B INTEGRATION JOURNEY**

#### Setup



### B2b User

SPOC Creates B2B User in Tatmeen portal



### **Developer Portal**

Login to Tatmeen API Developer Portal using B2B user

#### Execute



#### **Request Token API**

Use the Login APIs to fetch Bearer Token passing B2B user id and password



### **Post EPCIs**

Send messages to Tatmeen using Application Key and fetched Bearer Token







**E3** 

### Subscribe to APIs

B2B User subscribes to the required APIs on the Developer portal

### Message Status Query

Use Message Status Query API to retrieve results



### S1 - B2B USER CREATION

- SPOC for each onboarded entity has the privilege to create one or more users for their organization
- There are two type of users
  - 1. Portal/Mobile
  - 2. Service
- Type Service refers to a B2B user
- This user cannot login to portal/mobile and only use the API endpoints to interact with Tatmeen
- Password for this user will be set by the SPOC
- This user can be authorized for one or more GLNs of the SPOCs organization





	Settings		
je Log	SPOC Admin		
Add User		×	
Type *			
Service	~		
First Name *			
Mustafa			
Last Name *			
Habib			
E-Mail *			
B2BUser@hotmail.com			
Password *			
Password * * Must contain at least 14 characters	and include uppercase, lowercase, number, a		
Password *  * Must contain at least 14 characters special character.	and include uppercase, lowercase, number, a		
Password * * Must contain at least 14 characters	and include uppercase, lowercase, number, a		
Password *  * Must contain at least 14 characters special character.  Repeat Password *	and include uppercase, lowercase, number, a		
Password *  * Must contain at least 14 characters special character.  Repeat Password *	and include uppercase, lowercase, number, a		



## S2 – DEVELOPER PORTAL

- Tatmeen provides an API Developer Portal https://stgapihub.tatmeen.ae
- Use your B2B user to login to the developer portal and register
- This will send a request to the Tatmeen admin for approval
- The developer portal lists the set of APIs available to each B2B user

#### APIs are grouped into products such as

- Supply Chain MAH Reporting
- Supply Chain Logistics Reporting
- Supply Chain Dispensing Reporting

### Select the relevant product to show the list of APIs for e.g.:

- MAH Serialization B2B
- Request Token
- EPCIS Message Status Query



	n API Portal (Stag	ging)	
Register here to ga	Welcome in access to the Tatmeen API Por Register		
	API Portal (Develop Register, Subscribe and Consume APIs		
Type here to search		۹	
Supply Chain - MAH Reporting	Supply Chain - Logistics Reporting	Supply Chain - Dispense Reporting	
Published on Mar 25 2022 3 API	Published on Mar 21 2022 3 API	Published on Mar 21 2022 2 API	
Si @ Apis	Lipply Chain - MAH Reporting Subscribe		
ాం MAH Serialization Data B2B	ాం Request Token	ං EPCIS Message Status Query	
Mar 22, 2022	Mar 24, 2022	Mar 23, 2022	




## S3 – SUBSCRIBE TO APIs

- Before using an API, the specific Product must be subscribed by the B2B user to generate the **Application Key**
- While in the product page, select the subscribe button
- Select the option to create a new application or add the product to an already created existing application
- Application Key is generated at the application level
- This means if a product is subscribed under an existing application user can reuse the Application Key









## E1 – REQUEST TOKEN API

- First step in sending data to Tatmeen is to request the Bearer token
- Bearer token will be requested using the Request Token API
- The endpoint can be extracted from the developer portal. For staging below is the URL https://stgapim.tatmeen.ae:443/v1/auth
- Pass the Application Key, B2B Userid and password to fetch the bearer token



Params

none

POST

Pretty



			e e e e e e e e e e e e e e e e e e e						
POST	· v ht	tps://stgapim.tatmeen.	ae/v1/auth						
Param	as Authorizatio	on Headers (13)	Body  Pr	e-request	Script 鱼	Tests ●	Settings		
	Accept-Encoding	9		i	gzip, defla	te, br			
	Connection			i	keep-alive				
✓	apikey								•
	841								
POST	· ∨ ht	tps://stgapim.tatmeen	.ae/v1/auth						
Param	as Authorizatio	on Headers (13)	Body  P	re-request	t Script 鱼	Tests 鱼	Settings		
nor	ne 🔵 form-data	a 🖲 x-www-form-u	rlencoded	raw 🔵 k	oinary	GraphQL			
	grant_type				password	1			
	username								
	password								
	100 A	11							
OST	✓ https://stgapim.tatn	neen.ae/v1/auth						Send	<b>~</b>
rams /	Authorization Headers (1	3) Body • Pre-request Scrip	t <ul> <li>Tests</li> <li>Settin</li> </ul>	gs				Cookie	35
y Cooki	es Headers (18) Test Re	sults (1/1)			¢a	Status: 200 OK Tin	e: 514 ms Size: 5.82 KB		
retty 1 {	Raw Preview Visu	ialize JSON ~ 🚍						r <u>n</u> a	
2	eyJhdWQiOiJtaWNyb hZGZzL3NlcnZpY2Vz wic3ViIjoiTE9HVFN mUtYThmZC0yNDA3ND X3RpbWUiOiIyMDIyL DHTNKINxExER9wqpa D0hymxI9rDWERxBUW	LCJhbGciOiJSUzI1NiIsIng1dCI6J 3NvZnQ6aWRlbnRpdHlzZXJ2ZXI6Mn L3RydXNOIiwiaWFOIjoxNjUxMjI3M UVVNSMUB0YXRtZWVuYWRxYS5hZSIs V1MWQ0NTIILCJhdXRobWV0aG9kIjd TA0LTI5VDEw0jIx0jMyLjgzNloiL( rp782s8FXaf0iCWXD8sUut1R0jgmf VaW4FNNjVEsKOG-QxCvmgLPeqK5FC	NQ4ZTI3YWQtNTE2Yi00N IjkyLCJuYmYi0jE2NTEyl ImdpdmVuX25hbWUi0iJ MidXJu0m9hc2lz0m5hbW IJ2ZXIi0iIxLjAifQ NsoBWZ7_0vVZou7N63_MI Mc9lHw920h11JyU2dJA	jZ1LWE4ZmQtMjQ Mjc2OTIsImV4cC MT0dUU1QiLCJhc /zOnRjO1NBTUw6 oz5Wyj0-15LHto	wNzQ1ZTFkNDUyI I6MTY1MTIzMTI5 HB0eXB1IjoiQ29 Mi4w0mFj0mNsYX YYumfQqZ14ns6i	iwiaXNzIjoiaHR0 MiwiZW1haWwi0iJ uZm1kZW50aWFsIi NzZXM6UGFzc3dvc m9_vQe8WoaFJb	DovL3FhaWRlbnRpdHkv HTOdUU1RVU11xQHRhdG WIYXBwaWQiOiIyZDh1M MRQcm90ZWN0ZWRUcmFu Z_gtDfMoSBNR_8iN1yel	udGF0bWVlbi5hZS9 11ZW5hZHFhLmF1Ii jdhZC01MTZiLTQ2N c3BvcnQiLCJhdXRc HQJ15MNbcEiUlDtj	i N j
3	FZXnSPXoi99sMVm0c "token_type": "bearer	5NSsxskq4buqzviNOm1v_Nio1PN_c "/	цетъ_аDтуGA",						



## E2 – POST EPCIS MESSAGE

### The endpoint to pass an MAH EPCIS message is:

- https://stgapim.tatmeen.ae:443/v1/mah/B2B/SendEPCIS
- Use the received access\_token from Request Token API, pass it in the Authorization header with type Bearer Token and the Application Key in the apikey header
- Generate a GUID which will work as a unique transaction identifier. This is required for each EPCIS message and will be used to query the message status <sbdh:InstanceIdentifier>

096ba874-8f49-415a-b517-ed171c29a6c6 </sbdh:InstanceIdentifier>

- Formulate the rest of the EPCIS message and send the request to Tatmeen
- System returns a receipt confirmation and processes the message asyncronously



POST

POST

Params

POST

14



				1
OST v https://stgapim.tatmeen.ae/v1/mah	h/B2B/SendEPCIS		Send ~	
arams Authorization Headers (11) Body	Pre-request Script     Tests     Settings		Cookies	
pe Bearer Token ✓ e authorization header will be automatically nerated when you send the request. arn more about authorization ≯	<ul> <li>Heads up! These parameters hold sensitive da recommend using variables. Learn more abou</li> </ul>	eyJ0eXAiOiJKV1QiLCJhbGdOiJSUzI1NilsIng1 dCl6lldCQTRfZIVuVnZKMi12Rm5QQjloMjdJR2 RaVSIsImtpZCl6lldCQTRfZIVuVnZKMi12Rm5 QQjIoMjdJR2RaVSJ9.eyJhdWQiOiJtaVWhyb3N vZn06aWRIbnRpdHIzZXJ2ZXI6MmQ4ZTI3Y WQtNTE2Yi00NjZILWE4ZmQtMjQwNzQ1ZTF KNDUyliwiaXN2IjoiaHR0cDovL3FhaWRIbnRp dHkudGF0bWVIbi5hZS9hZGZL3NIcnZpY2V zL3RydXN0IiwiaWF0IjoXNJUXMJJ3NjkyLCJuY mYiOjE2NTEyMjc2OTIsImV4cCl6MTY1MTIzM TISMiwiZW1haWwiOiJMT0dUU1RVU1IxQHRh dG112Wf5hZHEhLmEIIwic3VilioiTE9HVENUWV	ative environment, we	
POST ~ https://s	stgapim.tatmeen.ae/v1/mal	h/B2B/SendEPCIS		
Params Authorization •	Headers (11) Body	<ul> <li>Pre-request Script •</li> </ul>	Tests Settings	
apikey				
Кеу			Value	
		and the second		
OST v https://stgapim.tatmeen.ae	e/v1/mah/B2B/SendEPCIS			
arams Authorization • Headers (11)	Body  Pre-request Script Test	s Settings		
none 🔵 form-data 🌑 x-www-form-urler	ncoded 🛛 e raw 🔵 binary 🔵 GraphQI	L XML V		
15 <sbdh:s< td="">         16       <sbdh:t< td="">         17       <sbdh:t< td="">         18       <sbdh:t< td="">         19       <sbdh:c< td=""></sbdh:c<></sbdh:t<></sbdh:t<></sbdh:t<></sbdh:s<>	mentIdentification> Standard>EPCGlobal TypeVersion>1.0 InstanceIdentifier>096ba874-8f49-4 Type>Events		dentifier> < ! {{\$guid}} >	



### E3 – MESSAGE STATUS QUERY


Tatmeen provides a pooling service to query the status of each message

The endpoint to query message status is as follows:

- https://stgapim.tatmeen.ae/v1/MsgStatusQuery
- Use the received access\_token from Request Token API, pass it in the Authorization header with type Bearer Token and the Application Key in the apikey header
- Pass the unique transaction identifier generated while Posting the EPCIS message

<instanceIdentifier> 096ba874-8f49-415a-b517-ed171c29a6c6 </instanceIdentifier>

• Tatmeen will return the details message status along with success and error message









https://stgapim.tatmeen.ae/v1/MsgStatusQuery	Send ~
thorization  Headers (11) Body  Pre-request Script Tests Settings	Cookies
orm-data 🔵 x-www-form-urlencoded 🔘 raw 🔵 binary 🔵 GraphQL 🛛 XML 🗸	Beautify
<pre>l version="1.0" encoding="utf-8"?&gt; p:Envelope xmlns:soap="http://www.w3.org/2003/05/soap-envelope" cmlns:urn="urn:sap-com:document:sap:soap:functions:mc-style"&gt; cmlns:urn="urn:sap-com:document:sap:soap:functions:mc-style"&gt; csoap:Header/&gt; csoap:Header/&gt; csoap:Body&gt;</pre>	/www.w3.org/
ap:Envelope>	/
VALUE DE	
Iders (10) Test Results Preview Visualize XML ~ => Iope xmlns:soap="http://www.w3.org/2003/05/soap-envelope">	
<pre>Header/&gt; Body&gt; atmeenResponse&gt; <instanceidentifier>096ba874-8f49-415a-b517-ed171c29a6c6</instanceidentifier> <messagestatus> A - Technical Error</messagestatus> <loglist> </loglist>                   </pre>	
<pre><li><lop> <td></td></lop></li></pre>	
<li><los> E E E </los></li> <li> I I I I I/ </li>	


#### <log> <type>E

<message>Business Partner against GLN 1234560000005 registration status is not active</message>
</log>

#### tatmeenResponse>

velope>


# B2B Test Cases





## **B2B INTEGRATION TEST CASES**

B2B Partners need to follow the below steps to make sure the integration with Tatmeen is established properly.







Sample Test C	ase		
Test Case ID:	TC-002	Name:	Hierarchy Change-Pack
Actors:	· –		NOHAP Central Stores, MOHAP ederal Customs, Pharmacies and
Description:	This test case simulate (SSCC)	s the B2B packing of 2	full shipper cases (SGTIN) into a pallet
Pre-requisite:			e location where the packing operation
EPCIS V1.2 Message Example	TC_002_Packing_Ex	ample.txt	
Tatmeen Specific contents	characters and a minin	num of 32 alphanumeri	eld made up of up to 50 alphanumeric c characters: 8h7g6hj98k7h6d5f
Expected Results	2 ortatustype/d-c/vtatustype/ 3 osate/3820-csate/ 4 osate/3822-85-12111-88-127-89480-cm 5 oressign:0.27104abd/fixee/864021c2aet 6 ortatus2	ub.org/2003-05/1000-envelope*/comercHeader//co fer /redMedad100*5c/Messageign /atmeen Mocessing, the message status can be v	
Message Status Query Example	xml version="1.0" en<br <tatmeenmsgstatusqu <instanceidentifier>887 <th>ery&gt; 7654f98j6h54f56j8h7g6</th><th>hj98k7h6d5f</th></instanceidentifier></tatmeenmsgstatusqu 	ery> 7654f98j6h54f56j8h7g6	hj98k7h6d5f
References:	<ul> <li>Chap</li> <li>Chap</li> <li>Chap</li> <li>Chap</li> <li>Chap</li> <li>Message Response:</li> <li>Tatmeen_WK</li> <li>Chap</li> <li>Chap</li> <li>Chap</li> </ul>	oter 5.4.1 Aggregation I oter 5.9.1 Packing New KI-0064_Technical Gui oter 5.8 EPCIS Messag	SSCC Example ide for Logistics_v2.0 le Technical Response lge Technical Response Examples



Contact us	
FAQs	
Home About Benefits & Goals FAQs Updates Documents Onboarding Contact Us	
	•
FREQUENTLY ASKED QUESTIONS	
WHAT IS TATMEEN?	>
WHEN DOES TATMEEN BECOME OPERATIONAL?	>
WHAT IS SERIALISATION?	>
WHAT IF MY DRUG HAS NOT BEEN REGISTERED WITH THE MINISTRY OF HEALTH?	>

For any further questions, please have a look at our FAQs or reach out:

- Contact form on Tatmeen website: https://tatmeen.ae/contact-us
- Email: contact@tatmeen.ae





### **Contact Form**

#### FOR MORE INFORMATION Fill in the form and one of our representatives will be in touch right away.

Full Name:			
Email:			
Company:		Phone Number:	
Message:			
I'm not a robot	reCAPTCHA Privacy - Terms		
			Submit



### SESSION MATERIAL

01 Technical Guides 02 Training Material

03 Test Materials







Link

<u>Link</u>

<u>Link</u>













# THANK YOU FOR JOINING US





